

10

25

30



10/510374

ART 34 AMDT


17

DT04 Rec'd PCT/PT0 0 5 OCT 2004

## **CLAIMS**

- 5 1. A method of detecting unauthorised copies of a genuine document, comprising the steps of:
  - (a) computing profiles of a printing characteristic derivable from a set of documents that are known or can be assumed to be largely genuine, the characteristic being associated with the output of a printer that prints genuine documents and not being intrinsic to the original document;
  - (b) analysing the profiles to assess the probability that any given document within the set, or additional to it, is in fact genuine.
- 2. The method of Claim 1 in which the characteristic is the degree of print diffusion on line edges.
  - 3. The method of Claim 1 in which the characteristic is the degree of line fragmentation.
- 20 4. The method of Claim 1 in which the characteristic is the degree of edge deformation.
  - 5. The method of Claim 1 in which the characteristic is the configuration of pixels.
  - 6. The method of Claim 1 in which the characteristic is the orientation of glyphs.
  - 7. The method of Claim 1 in which the profile is represented in a histogram.
  - 8. The method of Claim 7 in which the profile is represented as a first derivative of the histogram.
  - 9. The method of Claim 1 in which profile related data is written into the document.





18

- 10. The method of Claim 1 in which the profile is generated and updated as a consequence of large numbers of printed documents being regularly analysed.
- 11. The method of Claim 10 in which the document is a cheque.

5

- 12. The method of Claim 1 in which the original is accurately printed in a controlled environment and the profile is generated using occasional samples.
- 13. The method of Claim 12 in which the document is currency, a driving license, ID, or a passport.
  - 14. The method of Claim 1 in which the original is modified by including a special printed feature designed to facilitate profile comparison.
- 15. The method of any preceding Claim comprising the steps of generating a mean value for several profiles and determining the distance from this mean of each of a large number of sample documents, so that any counterfeit documents in the sample fall outside of the distance distribution associated with authentic documents.



